

C153 DUCTILE IRON MECHANICAL JOINT FITTINGS

C153 DUCTILE IRON MECHANICAL JOINT FITTINGS **BASIC SPECIFICATIONS**

• 2" - 64" **SIZES:**

 Ductile Iron ASTM A536, Grade 65-45-12, 60-42-10 or 70-50-05. **MATERIAL:**

PRESSURE: 350 PSI Water Working Pressure 2"- 24".

250 PSI Water Working Pressure 30"- 48".

• 150 PSI Water Working Pressure 54"- 64".

 In accordance with ANSI/AWWA C153/A21.53. **TESTING:**

• In accordance with UL - FM requirements.

All fittings are hydrostatically tested in accordance with SIGMA Quality Man-

agement Standard.

 All fittings are heat coded to ensure traceability and verification of metallurgical properties in accordance with the prevailing standards and SIGMA Quality

Management Standards.

LAYING LENGTH: Short body design - straight section of body deleted to provide a compact and

lighter fitting without reducing strength or flow characteristics.

In accordance with ANSI/AWWA C153/A21.53.

 Maximum allowable deflection for MJ Joint on a full length pipe is as men-**DEFLECTION:**

tioned below:

1. 3" - 4" = 8 Degrees 2. 6'' = 7 Degrees

3. 8" - 12" = 5 Degrees

4. 14" - 48" = 3 Degrees

Double cement lined in accordance with ANSI/AWWA C104 / A21.4. **CEMENT LINING:**

 Interior of fitting is seal coated (asphaltic material) in accordance with ANSI COATING:

AWWA C104/A21.4 and NSF61 approved.

Exterior of fitting is seal coated (asphaltic material) in accordance with ANSI/

AWWA C153/A21.53 and NSF approved.

 SBR in accordance with ANSI/AWWA C111/A21.11. **GASKETS:**

Also available in EPDM, NBR and CR.

T-BOLTS: Low Alloy corrosion resistant high strength steel in accordance with ANSI/

AWWA C111/A21.11.

 3"-16" Underwriters Laboratories listed and Factory Mutual Approved. **APPROVALS:**

Certified to NSF61 Standard including Annex G. **STANDARDS:**

ANSI/AWWA C153/A21.53 for Compact Ductile Iron Fittings 2"-64" for water

and other liquids.

Per ANSI/AWWA C600 and C111 using DIP conforming to C150/C151 and PVC **INSTALLATION:**

pipe conforming to C900/C905.







